

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)
in line with Regulation (EC) no. 1907/2006

Page 1 of 15

Trade name:	FASSADE SILIKAT	BTL.C.03.03
Product code:	Production date: March 22, 2017	Version no: 03

SECTION 1. IDENTIFICATION OF SUBSTANCE / MIXTURE AND OF THE COMPANY/UNDERTAKING		
1.1.	Product identifier	
II	Trade name:	Fassade Silikat
	Chemical name:	Not applicable
	Synonyms:	Silicate
	Catalogue number:	Not applicable
1.2.	Relevant identified uses of the substance or mixture and uses advised against	
	Application:	Silicate facade in form of paste used for protection and decoration of facade (exterior) walls in various granulation, as follows: 1; 1.5 and 2 mm. For detailed information, see product data sheet/label.
	Applications not recommended:	All other applications not listed on label or product data sheet.
	Reasons for non-application:	Bad quality of coating in the sense of covering capacities, procession, nuance, etc.
1.3.	Details of supplier of the safety data sheet	
	Company name:	Colorit d.o.o.
	Address:	Blagoja Parovića 114b
	Telephone:	+387(0)51/388-830
	Fax:	+387(0)51/388-801
	e-mail address of the person liable for MSDS:	colorit@inecco.net
	Authorized person in RS:	Colorit d.o.o., Blagoja Parovića 114b, Banja Luka
1.4.	Emergency telephone number	
	Emergency telephone number:	121 (before 112 gets activated)
	Telephone number for medical information:	124 (0-24h)
	Other information:	+381 11 360 84 40 (Poison Control Center Military Medical Academy Belgrade, Serbia)
SECTION 2. HAZARD IDENTIFICATION		
2.1.	Classification of the substance or mixture	
2.1.1.	CLP/GHS system classification	
	Hazard class and category mark:	Warning on danger (H, EUH)*:
	Product was not classified hazardous	EUH208
2.1.2.	DSD/DPD system classification	
	Danger sign:	Risk sign (R)*:
	Product was not classified hazardous	Product was not classified hazardous
2.1.3.	Additional information	

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13"
in line with Regulation (EC) no. 1907/2006

Page 2 of 15

Trade name:	FASSADE SILIKAT	BTL.C.03.03
Product code:	Production date: March 22, 2017	Version no: 03

Not applicable	
*Full text R, H and EUH marks in Section 16.	
2.2. Label elements	
Labeling in line with:	CLP/GHS system <input checked="" type="checkbox"/> DSD/DPD system <input type="checkbox"/>
Pictogram / hazard symbol:	Product was not classified hazardous
Signal word / danger sign and written warning:	Product was not classified hazardous
Hazard statements (H) / Risk sign (R):	Product was not classified hazardous
Precautionary statements (P) / Safety sign (S):	P102 – Keep out of reach of children P103 - Read label before use P280 - Wear protective gloves/protective clothing/eye protection/face protection P501 – Disposal of contents /container in accordance with local/national/regional/international regulations
Supplemental hazard information:	EUH208: Contains (Mixture 5-Chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (EC: mixture; CAS: 55965-84-9). May produce an allergic reaction.

2.3. Other hazards	
Not applicable	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3. Information on mixture ingredients					
Name	CAS number / EC number / Index number	REACH registration number	mass or volume % or range	DSD system classification*	CLP/GHS system classification*
Calcium carbonate	1317-65-3/ 215-279-6/ Not applicable	Excluded	70-75	Not classified hazardous	Not classified hazardous
Mixture 5-Chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4)	55965-84-9/ Not applicable/ 613-167-00-5	Not applicable	0.00075	T; R23/24/25 C; R34 Xi; R43 N; R50/53	Acute tox.3, H301 Acute tox.3, H311 Acute tox. 3, H331 Skinn corr. 1B, H314 Skin sens. 1, H317 Aquatic acute 1, H400 Aquatic chronic 1,H410 M-factor 10

* Full text R, H and EUH marks in Section 16.

SECTION 4. FIRST AID MEASURES

4.1. Description of first aid measures

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)
in line with Regulation (EC) no. 1907/2006

Page 3 of 15

Trade name:	FASSADE SILIKAT	BTL.C.03.03
Product code:	Production date: March 22, 2017	Version no: 03

	General:	Not applicable
	After inhalation:	Take person out to fresh air. In case of breathing difficulties, consult emergency medical help.
	After skin contact:	Remove contaminated clothes. Rinse exposed skin parts with soap and water. If irritation persists, consult a doctor.
	After eye contact:	Remove glasses or contact lenses. Rinse eye with water or solution for washing eyes thoroughly for at least 15 minutes. If irritation persists, consult a doctor.
	After swallowing:	Wash mouth with water. Do not induce vomiting. Do not administer milk or alcoholic drinks. In case of taking larger amount, consult a doctor.
	Personal protection of person providing first aid:	No special personal protection needed for person administering first aid.
4.2. Most important symptoms and effects, both acute and delayed		
	After inhalation:	Not applicable
	After skin contacts:	Irritation
	After ye contact:	Irritation
	After swallowing:	Not applicable
4.3. Indication of any immediate medical attention and special treatment needed		
	Not applicable	
SECTION 5. FIREFIGHTING MEASURES		
5.1. Extinguishing media		
	Suitable extinguishing agents:	Carbon-dioxide, extinguishing powder, foam or water spray. Adjust firefighting measures with environment.
	Inappropriate extinguishing agents:	Not applicable
5.2. Special hazards arising from substance or mixture		
	Dangerous combustion products:	Not applicable
5.3. Advice for firefighters		
	Use breathing mask in case of unknown combustion products occurrence. Standard procedure for fires including chemicals.	
SECTION 6. ACCIDENTAL RELEASE MEASURES		
6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For people not trained for the accident:		
	Protective equipment:	Devices for inhalation organs protection – filter half-masks for protection from particles, personal protection of eyes, impermeable protective gloves, working equipment.
	Accident prevention procedures:	Follow instructions in Section 7.
	Emergency procedures:	Not applicable

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)
in line with Regulation (EC) no. 1907/2006

Page 4 of 15

Trade name:	FASSADE SILIKAT	BTL.C.03.03
Product code:	Production date: March 22, 2017	Version no: 03

6.1.2.	For people participating in accident response:	
	Not applicable	
6.2.	Environmental precautions	
	Prevent its entry to environment.	
6.3.	Methods and materials for containment and cleaning up	
6.3.1.	For confinement:	Sweep and remove with shovel.
6.3.2.	For cleaning up:	Sweep and remove with shovel.
6.3.3.	Other information:	Storage in appropriate disposal containers, defined procedure and to approved disposal location.
6.4.	Reference to other Sections	
	Contaminated material should be disposed pursuant to Section 13. Use personal protection equipment pursuant to Section 8.	
SECTION 7. HANDLING AND STORAGE		
7.1.	Precautions for safe handling	
7.1.1.	Protective measures	
	Recommendations for safe handling:	Wear adequate protective equipment (Subsection 6.1).
	Fire prevention measures:	No special handling advice needed.
	Aerosol and dust formation preventive measures:	Not applicable
	Incompatible materials handling:	Not applicable
	Environment protective measures:	Prevent its entry to environment.
7.1.2.	General hygienic measures advice:	
	Wash hands regularly. Do not smoke in the vicinity, avoid open fire. Adequate ventilation at the workplace.	
7.2.	Conditions for safe storage, including any incompatibilities	
	Technical measures and storage conditions:	Storage it in well-sealed packaging in dry place and good ventilation.
	Packaging materials:	PP (polypropylene)
	Requests for storage rooms and containers:	Keep separately from acids.
	Storage class:	Not applicable
	Other information on storage conditions:	Dry room. Recommended temperature 5-25°C. Do not allow it to freeze.
7.3.	Specific and use(s)	
	Recommendations:	Not applicable

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)
in line with Regulation (EC) no. 1907/2006

Page 5 of 15

Trade name:	FASSADE SILIKAT	BTL.C.03.03
Product code:	Production date: March 22, 2017	Version no: 03

Special solutions for industrial sector:	Not applicable			
SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION				
8.1. Control parameters:				
Substance	CAS number	Exposure limiting value (ELV/KELV)		Biological limiting values
		ppm	mg/m ³	
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Substance: No information available for substance in Section 3.				
EC no.:	Not applicable	EC no.:	Not applicable	Not applicable
DNEL				
Worker				
Exposure way:	Acute local effects	Acute systematic effects	Chronic local effects	Chronic systematic effects
Oral	Not applicable	Not applicable	Not applicable	Not applicable
Inhalation	Not applicable	Not applicable	Not applicable	Not applicable
Skin	Not applicable	Not applicable	Not applicable	Not applicable
Key physical parameters: melting point, flammability, corrosion:			Not applicable	
User				
Exposure way:	Acute local effects	Acute systematic effects	Chronic local effects	Chronic systematic effects
Oral	Not applicable	Not applicable	Not applicable	Not applicable
Inhalation	Not applicable	Not applicable	Not applicable	Not applicable
Skin	Not applicable	Not applicable	Not applicable	Not applicable
PNEC				
Environment segment		PNEC		
Fresh water		Not applicable		
Fresh water sediments		Not applicable		
Sea water		Not applicable		
Sea sediments		Not applicable		
Food chain		Not applicable		
Microorganisms in waste water treatment		Not applicable		
Land (agricultural)		Not applicable		
Air		Not applicable		

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)
in line with Regulation (EC) no. 1907/2006

Page 6 of 15

Trade name:	FASSADE SILIKAT	BTL.C.03.03
Product code:	Production date: March 22, 2017	Version no: 03

8.2.	Exposure controls		
8.2.1.	Appropriate technical control		
	Exposure control measures in identified application:	Do not eat, drink or smoke while working with product.	
	Structural measures for exposure prevention:	Not applicable	
	Organizational measures for exposure prevention:	Not applicable	
	Technical measures for exposure prevention:	Not applicable	
8.2.2.	Personal protective equipment		
8.2.2.1	Eyes and face protection:	Wear protective goggles.	
8.2.2.2	Skin protection:		
	Hands protection:	In case of longer or repeated touching, use protective gloves.	
	Protection of other body parts:	Not applicable	
8.2.2.3	Protection of breathing parts:	Filter half-mask for particles P2 (EN143).	
8.2.2.4	Protection from thermal hazards:	Not applicable	
8.2.3.	Environment exposure control		
	Preventive measures for substance/mixture exposure:	Prevent its entry to environment.	
	Exposure control measures in identified application:	Not applicable	
	Structural measures for exposure prevention:	Not applicable	
	Organizational measures for exposure prevention:	Not applicable	
SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES			
9.1.	Information on basic physical and chemical properties		
		Value	Method
	Form:	Fluid	Not applicable
	Color:	White	Not applicable
	Odor:	Characteristic	Not applicable
	Odor threshold:	Not applicable	Not applicable
	pH:	8.7	BDS EN ISO 787-9:1999
	Melting point/Freezing point:	Not applicable	Not applicable
	Ignition boiling point and boiling range:	Not applicable	Not applicable
	Ignition point:	Not applicable	Not applicable
	Evaporation rate:	Not applicable	Not applicable
	Flammability (solid, gas):	Not applicable	Not applicable
	Upper/lower flammability or	Not applicable	Not applicable

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)
in line with Regulation (EC) no. 1907/2006

Page 7 of 15

Trade name:	FASSADE SILIKAT	BTL.C.03.03
Product code:	Production date: March 22, 2017	Version no: 03

explosion limit:		Not applicable
Vapor pressure:	Not applicable	Not applicable
Vapor density:	Not applicable	Not applicable
Solubility:	Not applicable	Not applicable
Partition coefficient: n-octanol /water (log Pow):	Not applicable	Not applicable
Self-ignition temperature:	Not applicable	Not applicable
Decomposition temperature:	Not applicable	Not applicable
Viscosity:	Not applicable	Not applicable
Explosion features:	Not applicable	Not applicable
Oxidizing features:	Not applicable	Not applicable

9.2.	Other information		
 	Contents of non-volatile substances	83.33%	BDS EN ISO 3251:2008
	Volume of hardened mortar:	1480 kg/m ³	BDS EN 1015-10:2001
	Volume of fresh mortar:	1850 kg/m ³	BDS EN 1015-6:2001

SECTION 10. STABILITY AND REACTIVITY

10.1.	Reactivity:	Stable under recommended storage conditions.
10.2.	Chemical stability:	Decomposition shall not occur if stored and used as instructed.
10.3.	Possibility of hazardous reactions:	Stable under recommended storage conditions. Decomposition shall not occur if stored and used as instructed.
10.4.	Conditions to avoid:	Temperature under +5C° and over +25°C.
10.5.	Incompatible materials:	Not applicable
10.6.	Hazardous decomposition products:	Not applicable

SECTION 11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects					
Acute toxicity:					
Exposure way	Method	Organism	Dose LD ₅₀ /LC ₅₀	Exposure time	Result
Swallowing: <i>**for mixture 5-Chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-</i>	Not applicable	Rat	457 mg/kg	Not applicable	Not applicable

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)
in line with Regulation (EC) no. 1907/2006

Page 8 of 15

Trade name:	FASSADE SILIKAT	BTL.C.03.03
Product code:	Production date: March 22, 2017	Version no: 03

<i>isothiazol-3-one</i>						
Skin contact: **for mixture 5-Chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	Not applicable	Hare	660 mg/kg	Not applicable	Not applicable	Not applicable
Inhaling: **for mixture 5-Chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	Not applicable	rat	2.36 mg/l	4h	Not applicable	Not applicable
Irritation and corrosion						
	Exposure time	Organism	Evaluation	Method	Note	
Skin irritation:	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
Eye irritation:	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
Irritation of respiratory system		Not applicable				
Sensitization *for mixture 5-Chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one						
Inhalation:	Not applicable					
Skin contact*:	May produce an allergic reaction					
CMR effects (carcinogenetic, mutagenic, reproductive toxicity)						
Carcinogenetic:	Not applicable					
Mutagenic <i>in-vitro</i> :	Not applicable					
Genotoxic:	Not applicable					
Mutagenic <i>in-vivo</i> :	Not applicable					
Mutagenic effect on sex cells:	Not applicable					
Reproductive organs toxicity:	Not applicable					
Toxicity in repeated dose (sub-acute, sub-chronic, chronic)						
	Dose	Exposure time	Organism	Method	Evaluation	Note
Sub-acute to mouth	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Sub-acute on skin	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Sub-acute inhalation	Not	Not	Not	Not applicable	Not applicable	Not applicable

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13"
in line with Regulation (EC) no. 1907/2006

Page 9 of 15

Trade name:	FASSADE SILIKAT	BTL.C.03.03
Product code:	Production date: March 22, 2017	Version no: 03

	applicable	applicable	applicable			
Sub-chronic to mouth	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Sub-chronic on skin	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Sub-chronic inhalation	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Chronic to mouth	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Chronic on skin	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Chronic inhalation	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Specific toxicity for organ target – single exposure (STOT SE):						
	Specific effects			Exposed organ	Note	
Swallowing:	Not applicable			Not applicable	Not applicable	
Skin contact:	Not applicable			Not applicable	Not applicable	
Inhalation:	Not applicable			Not applicable	Not applicable	
Specific toxicity for organ target – repeated exposure (STOT RE):						
	Specific effects			Exposed organ	Note	
Sub-acute to mouth	Not applicable			Not applicable	Not applicable	
Sub-acute on skin	Not applicable			Not applicable	Not applicable	
Sub-acute inhalation	Not applicable			Not applicable	Not applicable	
Sub-chronic to mouth	Not applicable			Not applicable	Not applicable	
Sub-chronic on skin	Not applicable			Not applicable	Not applicable	
Sub-chronic inhalation	Not applicable			Not applicable	Not applicable	
Chronic to mouth	Not applicable			Not applicable	Not applicable	
Chronic on skin	Not applicable			Not applicable	Not applicable	
Chronic inhalation	Not applicable			Not applicable	Not applicable	
Aspiration hazards:		Not applicable				
Probable exposure ways:		Not applicable				
Symptoms referring to physical, chemical and toxic features						
	Swallowing:	Not applicable				
	Skin contact:	Not applicable				
	Inhalation:	Not applicable				
	Eye contact:	Not applicable				
Delayed current effects, as well as chronic effects due				Not applicable		

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)
in line with Regulation (EC) no. 1907/2006

Page 10 of 15

Trade name:	FASSADE SILIKAT	BTL.C.03.03
Product code:	Production date: March 22, 2017	Version no: 03

to short and extended exposure:	
Interaction effects:	Not applicable
Lack of certain information:	Not applicable
Information on mixture in the reference to its ingredients information:	Not applicable
Other information:	Not applicable

SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity:

Acute toxicity	Dose	Exposure time	Organism	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	Not applicable	Not applicable	Not applicable	Not applicable
Crabs (Daphnia)	EC ₅₀	48 hours	Not applicable	Not applicable	Not applicable	Not applicable
Algae/water plants	IC ₅₀	72 hours	Not applicable	Not applicable	Not applicable	Not applicable
Other organisms	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Chronic toxicity	Dose	Exposure time	Organism	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	Not applicable	Not applicable	Not applicable	Not applicable
Crabs (Daphnia)	EC ₅₀	48 hours	Not applicable	Not applicable	Not applicable	Not applicable
Algae/water plants	IC ₅₀	72 hours	Not applicable	Not applicable	Not applicable	Not applicable
Other organisms	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

12.2. Persistence and degradability

Abiotic degradability

	Half-degradability time	Method	Evaluation	Note
Sea water	Not applicable	Not applicable	Not applicable	Not applicable
Fresh water	Not applicable	Not applicable	Not applicable	Not applicable
Air	Not applicable	Not applicable	Not applicable	Not applicable
Soil	Not applicable	Not applicable	Not applicable	Not applicable

Physical and photo-chemical elimination

Not applicable

Biodegradability

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)
in line with Regulation (EC) no. 1907/2006

Page 11 of 15

Trade name:	FASSADE SILIKAT	BTL.C.03.03
Product code:	Production date: March 22, 2017	Version no: 03

% degradation	Time (days)	Method	Evaluation	Note		
Not applicable	Not applicable	Not applicable	Not applicable	No information available		
12.3. Bioaccumulative potential						
Partition coefficient: n-octanol/water (log Pow)						
Value*	Concentration	pH	°C	Method	Evaluation	Note
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Bioconcentration factor (BCF):						
Value	Organism	Method	Evaluation	Note		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
Chronic eco-toxicity						
Value	Dose	Exposure time	Organism	Method	Evaluation	Note
Chronic toxicity in fish	LC ₅₀	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Chronic toxicity in crabs (Daphnia)	EC ₅₀	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
12.4. Mobility in soil						
Known or anticipated partition in environment:						
No information available						
Surface pressure:						
Value	°C	Concentration	Method	Note		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
Adsorption/desorption						
Transport	A/D coefficient Henry's constant	log Pow	Evaporation	Method	Note	
Soil-water	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
Water-air	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
Soil-air	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
12.5. Results of PBT and vPvB assessment						
Not applicable						
12.6. Other adverse effects						
Not applicable						
SECTION 13. DISPOSAL CONSIDERATIONS						
13.1. Waste treatment methods						
13.1.1. Disposal of unused chemical/contaminated packaging:						

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)
in line with Regulation (EC) no. 1907/2006

Page 12 of 15

Trade name:	FASSADE SILIKAT	BTL.C.03.03
Product code:	Production date: March 22, 2017	Version no: 03

	Disposal should be in line with official local and national regulations. Prevent its entry to sewage or ground waters. Inform authorities if product disposal in sewage, water or ground. Contaminated packaging should be delivered to person authorized for waste management.
13.1.2.	Waste labeling according to waste catalogue: 08 01 12 waste paint and varnish different from those stated in 08 01 11 15 01 02 plastic packaging
13.1.3.	Waste treatment forms: Not applicable
13.1.4.	Possibility of disposal to sewage: Avoid disposal to sewage.
13.1.5.	Other recommendations for disposal: Not applicable
13.1.6.	Regulations for waste management: Law on waste management ("Official Gazette of the Republic of Srpska", number 111/13 and 106/15), Rulebook on waste categories, tests and classification ("Official Gazette of the Republic of Srpska", no. 19/15).

SECTION 14. TRANSPORT INFORMATION

Road transport (ADR)	
UN number:	Goods not hazardous based on this regulation
UN proper shipping name:	Not applicable
Transport hazard class:	Not applicable
Packaging group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	Not applicable
Railway transport (RID)	
UN number:	Goods not hazardous based on this regulation
UN proper shipping name:	Not applicable
Transport hazard class:	Not applicable
Packaging group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	Not applicable
Inland waterways transport (ADN)	
UN number:	Goods not hazardous based on this regulation
UN proper shipping name:	Not applicable
Transport hazard class:	Not applicable
Packaging group:	Not applicable
Environmental hazards:	Not applicable

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)
in line with Regulation (EC) no. 1907/2006

Page 13 of 15

Trade name:	FASSADE SILIKAT	BTL.C.03.03
Product code:	Production date: March 22, 2017	Version no: 03

Special precautions for user:	Not applicable
Seaways transport (IMDG)	
UN number:	Goods not hazardous based on this regulation
UN proper shipping name:	Not applicable
Transport hazard class:	Not applicable
Packaging group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	Not applicable
Transport in loose state (MARPOL73/78 and IBC code):	Not applicable
Airways transport (ICAO-TI/IATA-DGR)	
UN number:	Goods not hazardous based on this regulation
UN proper shipping name:	Not applicable
Transport hazard class:	Not applicable
Packaging group:	Not applicable
Special precautions for user:	Not applicable

Additional information:

SECTION 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Applicable regulations in the Republic of Srpska:	Law on chemicals (RS Off. Gaz. no. 25/09), Rulebook on classification, packaging and labeling of chemicals and certain products (RS Off. Gaz. no.50/10), Rulebook on contents of the Material Safety Data Sheet (RS Off. Gaz. no. 104/13), Law on waste management (RS Off. Gaz. no. 111/13 and 106/15), Rulebook on waste categories, tests and classification (RS Off. Gaz. no. 19/15).
Authorization and/or limitations in application	
Authorizations:	Not applicable
Limitations:	Not applicable
Substance causing concern:	Product does not contain substances causing concern.
Other applicable regulations	Not applicable
Designation of product sub-category (paints and varnishes):	A(c)
Information on emissions of volatile organic compounds (VOC):	VOC: A(c), 40g/l; max. 40g/l

15.2. Chemical safety assessment

Chemical safety assessment not performed.

SECTION 16. OTHER INFORMATION

Changes report:	Changes in comparison to previous version.
-----------------	--

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)
in line with Regulation (EC) no. 1907/2006

Page 14 of 15

Trade name:	FASSADE SILIKAT	BTL.C.03.03
Product code:	Production date: March 22, 2017	Version no: 03

Abbreviations and acronyms:	Not applicable		
Basic literature and information sources:	Material Safety Data Sheet of raw materials, European Chemicals Agency, Report on product testing in certified laboratory		
Classification and procedures used for classification of mixture according to CLP/GHS system			
Classification according to CLP/GHS system		Classification procedure	
Product was not classified hazardous		Classification procedure pursuant to procedures described in the Rulebook on classification, packaging and labeling of chemicals and certain products (RS Off. Gaz. no.50/10)	
Relevant R, H, S and P signs (number and full text)			
R	22	Harmful if swallowed	
R	23/24/25	Toxic by inhalation, in contact with skin and if swallowed	
R	34	Causes burns	
R	40	Limited evidence of a carcinogenic effect	
R	43	May cause sensitisation by skin contact	
R	48/22	Harmful: danger of serious damage to health by prolonged exposure if swallowed	
R	50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment	
H	301	Toxic if swallowed	
H	302	Harmful if swallowed	
H	311	Toxic in contact with skin	
H	314	Causes severe skin burns and eye damage	
H	317	May cause an allergic skin reaction	
H	351	Suspected of causing cancer	
H	373	May cause damage to organs	
H	400	Very toxic to aquatic life	
H	410	Very toxic to aquatic life with long lasting effects.	
P	102	Keep out of reach of children.	
P	103	Read label before use	
P	280	Wear protective gloves/protective clothing/eye protection/face protection	
P	501	Disposal of contents /container in accordance with local/national/regional/international regulations	
EUH	208	Contains (Mixture 5-Chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (EC: mixture; CAS: 55965-84-9). May produce an allergic reaction.	
Advice for training:		Not applicable	
Additional information:		Information provided in this MSDS is a result of our best current knowledge. This	

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13)
in line with Regulation (EC) no. 1907/2006

Page 15 of 15

Trade name:	FASSADE SILIKAT			BTL.C.03.03
Product code:	Production date:	March 22, 2017	Version no:	03

	information should serve as guidance in application, use, storage, transport and disposal hence should not be considered as quality guarantee. Information refers to this product only and could not be used in combination with other materials and processes unless otherwise specified in the text. It is product user's responsibility to obey local legislative.
--	---